



MATERIAL SAFETY DATA SHEET

Print date: 08-Oct-2008 Revision Number: 1 Revision date: 08-Oct-2008

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY

Trade Name: LEXAN*
Product Name: LEXAN* 9030

Product Description: Polycarbonate (CAS# 25971-63-5)

Recommended use: May be used as received, processed or thermoformed to produce

other articles, or as a component of other industrial products.

Company: SABIC Innovative Plastics B.V.

Plasticslaan 1 P.O. Box 117

4600 AC Bergen op Zoom

The Netherlands

Emergency Telephone Number: +31(0)164-292911 (24/24) Bergen op Zoom

E-mail: webinquiries@sabic-ip.com

2. HAZARDS IDENTIFICATION

Skin Contact: Not likely to cause irritation.

Eye Contact: No eye irritation.

Inhalation:Inhalation unlikely due to physical form.Ingestion:Ingestion not likely due to physical form.

Other Information: Hazardous fumes can also occur in post-processing operations.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Not a hazardous substance or preparation according to EC-directives 67/548/EEC or 99/45/EC.

Product Name: LEXAN* 9030 Page 1 of 5 Revision date: 08-Oct-2008

4. FIRST AID MEASURES

Inhalation: Move to fresh air in case of accidental inhalation of fumes from

overheating or combustion. If symptoms persist, call a physician.

Skin Contact: Not applicable.

Eye Contact: Not applicable.

Ingestion:No hazards which require special first aid measures.

Precautions: Cool molten product on skin with plenty of water. Do not remove

solidified product. Do not peel polymer from the skin.

5. FIRE-FIGHTING MEASURES

Autoignition Temperature: 630°C (1166°F), estimated.

Explosive Limits

upper:Not applicablelower:Not applicable

Suitable Extinguishing Media: Water spray mist or foam.

Extinguishing Media not be used for Safety Reasons: Carbon dioxide and dry chemical are not recommended because

their lack of cooling capacity may permit re-ignition.

Hazardous decomposition products: Fire will produce dense black smoke containing hazardous

combustion products, carbon oxides, hydrocarbons fragments.

Special Protective Equipment for Firefighters: In the event of fire, wear self-contained breathing apparatus (NEN-

EN137).

Specific Hazards: Take precautionary measures against static discharges. Thermal

decomposition can lead to release of irritating gases and vapors.

6. ACCIDENTAL RELEASE MEASURES

Clean up: Sweep up and shovel into suitable containers for disposal.

Personal Precautions: See section 8.

Environmental Precautions: Should not be released into the environment.

7. HANDLING AND STORAGE

Handle in accordance with good industrial hygiene and safety

practice. Provide for appropriate exhaust ventilation and dust

collection at machinery.

Storage: Keep tightly closed in a dry and cool place. Keep away from heat

and sources of ignition.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering Measures to Reduce Exposure: Handle in accordance with good industrial hygiene and safety

practice.

Hand Protection: Protective gloves, NEN-EN 374. **Eye Protection:** Not required under normal use.

Respiratory Protection: In the case of hazardous fumes, wear self contained breathing

apparatus In case of insufficient ventilation wear suitable respiratory

equipment (NEN-EN149).

Skin and Body Protection: Long sleeved clothing (NEN-EN 340-369-465).

Hygiene Measures: Do not eat, drink or smoke at work.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State:SolidAppearance:SheetsColor:VariousOdor:None

Melting point/range: Various

Autoignition Temperature: 630°C (1166°F) estimated

Vapor Pressure: Negligible

Water Solubility: Insoluble Evaporation Rate: Negligible

Specific gravity: >1; (water =1)
VOC content(%): Negligible

Explosive Limits

upper:Not applicablelower:Not applicable

10. STABILITY AND REACTIVITY

Stability: Stable at normal conditions. Hazardous polymerisation does not

occur.

Conditions to Avoid: Do not expose to temperatures above 200 °C. Heating can release

hazardous gases.

Hazardous Decomposition Products: Traces of phenol, alkylphenols, diarylcarbonates, hydrocarbons.

11. TOXICOLOGICAL INFORMATION LD50/oral/rat: >5000 mg/kg LD50/dermal/rabbit: >2000 mg/kg No data available **Subchronic Toxicity:** Substance does not generally irritate and is only mildly irritating to **Primary Irritation:** the skin The toxicological data has been taken from products of similar Remarks: composition 12. ECOLOGICAL INFORMATION **Ecotoxicity Effects:** None expected for this article. Other Information: Ecological damages are not known or expected under normal use. 13. DISPOSAL CONSIDERATIONS Where possible recycling is preferred to disposal or incineration. Waste from residues / unused products: Dispose of in accordance with local regulations. 702 - waste from the mfsu of plastics, synthetic rubber and man-EWC waste disposal no: made fibres 14. TRANSPORT INFORMATION **Transport Classification:** Not regulated as hazardous for shipment, unless noted below, under current transportation guidelines. ADR/RID/ADNR **IMDG ICAO IATA-DGR** 15. REGULATORY INFORMATION Not a hazardous substance or preparation according to EC-directives 67/548/EEC or 99/45/EC. R -phrase(s)

S -phrase(s)

Product Name: **LEXAN* 9030** Page 4 of 5 Revision date: 08-Oct-2008

16. OTHER INFORMATION

Text of R Phrases mentioned in Section 3

LEXAN* is a registered trademark of SABIC Innovative Plastics BV

Prepared by:

Product Stewardship & Toxicology.

This publication provides information and guidelines for safe handling and processing of SABIC Innovative Plastics' products and is based on currently available experience and knowledge. It is not designed as a comprehensive product performance data sheet, nor as a guide to application possibilities of our materials.

Users should follow all applicable local regulations governing Health and Safety at work, and are requested to pass this publication on to all relevant employees and customers.

End of Material Safety Data Sheet

Product Name: **LEXAN* 9030** Page 5 of 5 Revision date: 08-Oct-2008